



Attorney General
Lee Fisher

BCI-30 (Rev 3-91)

Bureau of Criminal Identification and Investigation

Laboratory Report

To: Prosecutor Dave Norris
Portage County Prosecutor's Office
466 S. Chestnut Street
Ravenna, Ohio 44266

BCI Lab Number: 90-31768-D

Analysis Date: June 12, 1992

Re: Double Homicide
Victims: Mr. & Mrs. Hargig

Agency No: 90-2674

Microscopic examination of the submitted fired bullet and test fired bullets from the submitted .25 automatic caliber Browning semi-automatic pistol, serial number 283605, B.C.I.&I. #90-31768B, revealed matching detail confirming that the submitted bullet was fired from the submitted weapon.

Further microscopic examination of the submitted fired bullet and 3 submitted fired bullets, 2 bullets (Items 19 and 22, BCI #90-31768), and 1 bullet (BCI #90-31768C), revealed different land impression width confirming that the submitted bullet, 90-31768-D, and the 3 submitted bullets 90-31768 and 90-31768C were fired from different weapons.

Richard D. Turbok
Richard D. Turbok
Forensic Scientist

RDT/cn
T061592

Please address inquiries to the office indicated using the BCI lab number

BCI & I - Fremont Office
405 Pine Street
Fremont Ohio 43420
Phone: (419) 334-3651

BCI & I - London Office
PO Box 365
London, Ohio 43140
Phone: (614) 466-6204

BCI & I - Richfield Office
PO. Box 336
3333 Brecksville Road
Richfield, Ohio 44286
Phone: (216) 659-4600

BCI & I - Cambridge Office
60788 Southgate Road
Byesville, Ohio 43723
Phone: (614) 439-3655

Petition Exhibit C